

DRAM Installation

Step 1 Make sure system power is off. Loosen the lateral cover screws to remove the cover as shown.



Step 2 Loosen the lateral screws as shown.



Step 3 Pull out the front bezel and the internal bracket as shown.



Step 4 Remove the DRAM cover by loosening the screws. Install DRAM and then stick the thermal pad on it.



Step 5 Secure the DRAM cover by fastening the screws, and then install the internal bracket and the front bezel. Fasten the lateral screws as shown to complete the installation.



Checklist

Standard Accessories

- ✓ tBOX324-894 System Unit x 1
- ✓ Quick Installation Guide x 1
- ✓ CD x 1 (w/ Driver & Manual)
- ✓ Foot Pad x 4
- ✓ Screws Pack x 1
- ✓ Wall Mount Bracket x 1
- ✓ SATA Drive Key x 2
- ✓ DRAM Thermal Pad x 4
- ✓ DC-IN Connector


Optional Accessories

- ✓ SATA Drive (HDD or SSD)
- ✓ PCI Express Mini Card
- ✓ Remote Switch Cable
- ✓ M12 LAN Cable
- ✓ Wireless Module
- ✓ M12 Power Cable


Note: Please contact your local supplier immediately if any of the above-mentioned items is missing or damaged.

Dimensions

tBOX324-894



I/O Outlets



Hardware Installation

SATA drive and CFast Installation

Step 1 Make sure system power is off. Loosen the screws of the SATA drive tray and then pull out the tray as shown.



Step 2 Slide an HDD into the tray as shown in the picture. Insert screws into each side of the SATA drive through the corresponding holes and fasten the screws firmly.



Step 3 Insert the SATA drive and then the CFast into their slots respectively, as shown in the pictures



Step 4 Secure CFast and SATA drive by fastening all of the screws tightly to complete the installation.

Mini PCIe module and SIM card Installation

Step 1 Make sure system power is off. Loosen the lateral cover screws to remove the cover as shown.



Step 2 Install the SIM card or Mini PCIe module and fasten screws. Notice the signal support type of the mini card slot when installing the card. Fasten screws.

